

# SAFETY DATA SHEET

# i-genomic Plant DNA Extraction Mini Kit - Buffer PB

### 1. IDENTIFICATION

### A. Product name

- i-genomic Plant DNA Extraction Mini Kit - Buffer PB

### B. Recommended use and restriction on use

General use : Laboratory chemicals
 Restriction on use : Not available

# C. Manufacturer / Supplier / Distributor information

#### o Manufacturer information

- Company name : iNtRON Biotechnology, Inc.

- Address :#1011 Jungang Induspia V B/D, 137, Sagimakgol-ro, Jungwon-gu, Seongnam, Gyeonggi-do, 13202, Korea

- Dept. : CRT center
 - Telephone number : +82-31-739-5737

- Emergency telephone

number
- Fax number

: +82-31-739-5264

- E-mail address : intronbio@intronbio.com

## o Supplier/Distributer information

- Company name : iNtRON Biotechnology, Inc.

- Address :#1011 Jungang Induspia V B/D, 137, Sagimakgol-ro, Jungwon-gu, Seongnam, Gyeonggi-do, 13202, Korea

- Dept. : CRT center
 - Telephone number : +82-31-739-5737

- Emergency telephone

number

- Fax number

: +82-31-739-5264

- E-mail address : intronbio@intronbio.com

# 2. HAZARD IDENTIFICATION

## A. GHS Classification

 $\hbox{- Flammable liquids}: Category 2\\$ 

- Skin corrosion/irritation : Category2

- Serious eye damage/irritation : Category2A

- Germ cell mutagenicity : Category1B

- Carcinogenicity: Categoryl A

- Reproductive toxicity : Category1A

- Specific target organ toxicity(Single exposure) : Category3(Narcotic effects)

 $\hbox{-} Specific target organ toxicity (Single exposure): Category 3 (Respiratory tract irritation)\\$ 

- Specific target organ toxicity(Repeated exposure): Category1

# B. GHS label elements

 $\circ \ Hazard \ symbols$ 







#### o Signal words

- Danger

#### o Hazard statements

- H225 Highly flammable liquid and vapour
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation.
- H336 May cause drowsiness and dizziness.
- H340 May cause genetic defects
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure (Refer Section SDS 11)

#### o Precautionary statements

#### 1) Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools. Flammable liquids (chapter 2.6) 1, 2, 3
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dust/fume.
- P261 Avoid breathing dust/fume.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

### 2) Response

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 If exposed or concerned: Get medical advice/attention.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P314 Get medical advice/attention if you feel unwell.
- P321 Specific treatment
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P370+P378 In case of fire: Use Suitable extinguishing media for extinction(Refer Section MSDS 5).

### 3) Storage

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

### 4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

## C. Other hazards which do not result in classification: (NFPA Classification)

### $\circ$ NFPA grade (0 ~ 4 level)

- Health: 2, Flammability: 1, Reactivity: 0

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Ethanol	Alcohol anhydrous; Alcohol dehydrated; Ethyl alcohol; Ethanol solution; Alcohol; Fermentation alcohol; Algrain; Ethyl hydrate; Ethyl hydroxide	64-17-5	30 ~ 60%
2-Amino-2-(hydroxymethyl)-1,3-propanediol	1,3-Propanediol, 2-amino-2- (hydroxymethyl)-; Trometamol; Tris(hydroxymethyl)methylamine; Tris buffer; Trihydroxymethylaminomethane; Propane-1,3-diol, 2-amino-2- (hydroxymethyl)-; Aminomethane; Tromethamine; 2-Amino-1,3-dihydroxy-2- (hydroxymethyl)propane; 2- Amino-2- (hydroxymethyl)propane-1,3-diol; 2-Amino-2-methylol-1,3- propanediol; Aminotri(hydroxymethyl)methane; Aminotris(hydroxymethyl)methane; Tris(hydroxymethyl)-; Tri(hydroxymethyl)-; Tri(hydroxymethyl)methylamine; Trimethylolaminomethane; Tris(hydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)methanamine; Tris(mydroxymethyl)ethyl]amine; Tromethane; Tromethanmin;	77-86-1	10 ~ 30%
Ethylenediaminetetraacetic acid disodium salt	Glycine, N,N'-1,2- ethanediylbis[N-(carboxymethyl)-, disodium salt; Acetic acid, (ethylenedinitrilo)tetra-, disodium salt; EDTA Disodium-salt; Ethylenediaminetetraacetic acid, disodium salt; Glycine, N,N'-1,2- ethanediylbis[N-(carboxymethyl)-, disodium salt; Acetic acid, (ethylenedinitrilo)tetra-, disodium salt; N,N'-1,2-Ethanediylbis[N- (carboxymethyl)glycine], disodium salt, dihydrate; Disodium dihydrogen ethylenediaminetetraacetate	139-33-3	1 ~ 7%

# 4. FIRST AID MEASURES

# A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.
- Go to the hospital immediately if  $\operatorname{symptoms}(\operatorname{flare},\operatorname{irritate})$  occur.
- Remove contact lenses if worn.

# B. Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Get medical attention immediately.

- Go to the hospital immediately if symptoms(flare, irritate) occur.
- Remove contaminated clothing, shoes and isolate.
- Wash thoroughly after handling.
- Wear gloves when washing the patient, and please avoid contact with contaminated clothing.

### C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.
- Get medical attention immediately.
- If breathing is stopped or irregular, give artificial respiration and supply oxygen.

### D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

### E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

## F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.
- If exposed or concerned, get medical attention/advice.

# 5. FIREFIGHTING MEASURES

### A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

### B. Specific hazards arising from the chemical

- Not available

# C. Special protective actions for firefighters

- Keep unauthorized personnel out.
- Notify your local firestation and inform the location of the fire and characteristics hazard.
- Using a unattended and water devices in case of large fire and leave alone to burn if you do not imperative.
- Avoid inhalation of materials or combustion by-products.
- Do not access if the tank on fire.
- Keep containers cool with water spray.
- Fine powder may cause ignition.
- Due to the extremely low flash point, irrigating fire extinguishing may be less effective when put out a fire.

# 6. ACCIDENTAL RELEASE MEASURES

### A. Personal precautions, protective equipment and emergency procedures

- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Handling the damaged containers or spilled material after wearing protective equipment.
- Avoid dust formation.
- Moist with water to prevent dust scattering.
- Avoid skin contact and inhalation.
- Cleanup and disposal under expert supervision is advised.
- Keep unauthorized people away, isolate hazard area and deny entry.

### **B.** Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.

- If large amounts have been spilled, inform the relevant authorities.

### C. Methods and materials for containment and cleaning up

- Large spill: Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Dust spills: Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Small liquid state spills: Appropriate container for disposal of spilled material collected.
- For disposal of spilled material in appropriate containers collected and clear surface.
- Do not use plastic containers.
- Spilled material should be treated as a potential risk of waste collected.

### 7. HANDLING AND STORAGE

## A. Precautions for safe handling

- Wash thoroughly after handling.
- Avoid contact with incompatible materials.
- Comply with all applicable laws and regulations for handling
- Do not handle until all safety precautions have been read and understood.
- Minimize occurrence of dust and accumulation.'
- Avoid contact with heat, sparks, flame or other ignition sources.
- Contaminated work clothing should not be allowed out of the workplace.

### B. Conditions for safe storage, including any incompatibilities

- Save in cool, dry and well ventilated place.
- Check regularly for leaks.
- Do not apply direct heat.
- Keep in the original container.
- Prevent static electricity and keep away from combustible materials or heat sources.
- By specifying a storage area for carcinogenic substances.
- Collected them in sealed containers.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### A. Exposure limits

## o ACGIH TLV

- [Ethanol] : STEL, 1000 ppm (1880 mg/m3)

### OSHA PEI

- [Ethanol]:1000ppm 1900mg/m3

### **B.** Engineering controls

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

# C. Individual protection measures, such as personal protective equipment

### • Respiratory protection

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Dust, mist, fume-purifying respiratory protection
- Any air-purifying respirator with a corpuscle filter of high efficiency
- Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
- Self-contained breathing apparatus with a corpuscle filter of high efficiency
- For Unknown Concentration or Immediately Dangerous to Life or Health: Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

# • Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.

### o Hand protection

- Wear appropriate chemical resistant glove.

# O Skin protection

- Wear appropriate chemical resistant protective clothing.

# $\circ \ Others$

- Not available

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# [Ethanol]

A. Appearance	
- Appearance	Liquid
- Color	Colorless
B. Odor	Wine or whiskey smell
C. Odor threshold	10 ppm
D. pH	Not available
E. Melting point/Freezing point	-114.1 ℃
F. Initial Boiling Point/Boiling Ranges	78.5 ℃
G. Flash point	13 ℃
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	19 / 3.3 %
K. Vapour pressure	59.3 mmHg (25°C)
L. Solubility	100 g / 100 ml (25°C)
M. Vapour density	1.59 (air=1)
N. Specific gravity(Relative density)	0.8 (water=1)
O. Partition coefficient of n-octanol/water	-0.31
P. Autoignition temperature	363 ℃
Q. Decomposition temperature	Not available
R. Viscosity	1.17 cP (20°C)
S. Molecular weight	46.07

# [2-Amino-2-(hydroxymethyl)-1,3-propanediol]

Solid White
White
A slightly unique incense
Not available
10.4
171 ~ 172 °C
219 °C ~ 220 °C
170 °C
Not available
Not available
-/-
0.000002 mmHg (at 25°C)
550 mg/l
Not available
1.328
-1.56
Not available
Not available
Not available
121.14

### [Ethylenediaminetetraacetic acid disodium saltl]

<u> </u>	
A. Appearance	
- Appearance	Solid, Crystalline powder
- Color	White
B. Odor	Not available
C. Odor threshold	Not available
D. pH	4.0~6.0 (5% solution)
E. Melting point/Freezing point	Not available
F. Initial Boiling Point/Boiling Ranges	Not applicable
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	-/-
K. Vapour pressure	0.000000000000000757 mmHg (at 25°C estimated)
L. Solubility	1000000 g/ml (at 25 ℃ estimated)
M. Vapour density	Not applicable
N. Specific gravity(Relative density)	None
O. Partition coefficient of n-octanol/water	-11.70 (estimated)
P. Autoignition temperature	Not available
Q. Decomposition temperature	250℃
R. Viscosity	Not available
S. Molecular weight	336.21

# 10. STABILITY AND REACTIVITY

### A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

# B. Possibility of hazardous reactions

- Cylinders exposed to fire may vent and release flammable gas.

# C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- Avoid contact with heat, sparks, flame or other ignition sources.

# D. Incompatible materials

- Not available

# E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

# 11. TOXICOLOGICAL INFORMATION

# A. Information on the likely routes of exposure

- $\circ \ (Respiratory \ tracts)$ 
  - May cause respiratory irritation.
- o (Oral)
  - Not available
- o (Eye·Skin)
  - Causes serious eye irritation
  - Causes skin irritation

# B. Delayed and immediate effects and also chronic effects from short and long term exposure

- $\circ \ Acute \ toxicity$ 
  - \* Oral
    - Product (ATEmix) : >5000mg/kg

- [Ethanol] : LD50 = 6200 mg/kg Rat (HSDB)
- [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : LD50 = 5900 mg/kg rabbit (Thomson Micromedex)
- [Ethylenediaminetetraacetic acid disodium salt]: LD50 2000 mg/kg Rat

#### \* Dermal

- Not available

#### \* Inhalation

- Product (ATEmix) : Not available
- [Ethanol] : LC50 = 59.59 mg/L/4hr Rat (HSDB)

### O Skin corrosion/irritation

- Causes skin irritation

### o Serious eye damage/irritation

- Causes serious eye irritation

### • Respiratory sensitization

- Not available

### o Skin sensitization

- Not available

### o Carcinogenicity

\* IARC

- [Ethanol] : Group 1

#### \* OSHA

- Not available

### \* ACGIH

- [Ethanol] : A3

### \* NTP

- Not available

# \* EU CLP

- Not available

#### o Germ cell mutagenicity

- May cause genetic defects

## • Reproductive toxicity

- May damage fertility or the unborn child

# o STOT-single exposure

- May cause drowsiness and dizziness.
- May cause respiratory irritation.

### $\circ \ STOT\text{-}repeated \ exposure$

- Causes damage to organs through prolonged or repeated exposure

## • Aspiration hazard

- Not available

## 12. ECOLOGICAL INFORMATION

### A. Ecotoxicity

### o Fish

- [Ethanol] : LC50 = 42 mg/ $\ell$  96 hr Oncorhynchus mykiss (ECOTOX)
- [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : LC50 = 955.892  $\,\mathrm{mg}/\ell$  96 hr (Estimate)
- [Ethylenediaminetetraacetic acid disodium salt] : LC50 320 mg/ $\ell$  96 hr Poecilia reticulata (IUCLID)

### o Crustaceans

- [Ethanol] : EC50 = 2 mg/ $\ell$  48 hr Daphnia magna (ECOTOX)
- [2-Amino-2-(hydroxymethyl)-1,3-propanediol] :  $EC50 = 19.793 \text{ mg/} \ell 48 \text{ hr}$  (Estimate)

### o Algae

- [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : EC50 =  $163.053 \text{ mg/} \ell$  96 hr (Estimate)

## B. Persistence and degradability

# o Persistence

- [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : log Kow = -1.56 (HSDB)
- [Ethylenediaminetetraacetic acid disodium salt] : log Kow -11.70 (Estimate)

### o Degradability

- [Ethanol] : BOD5/COD = 0.57 ( IUCLID)

### C. Bioaccumulative potential

- o Bioaccumulative potential
  - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : BCF = 3 (HSDB)
  - [Ethylenediaminetetraacetic acid disodium salt]: BCF 3.162 (Estimate)
- o Biodegration
  - [Ethanol]: Biodegradability = 75 (%) 20 day (Aerobic, Other, Easily decomposed) ( IUCLID)

### D. Mobility in soil

-[Ethanol]: Koc = 1

#### E. Other adverse effects

- Not available

# 13. DISPOSAL CONSIDERATIONS

## A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat seperatly, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

# B. Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

### 14. TRANSPORT INFORMATION

## A. UN No. (IMDG CODE/IATA DGR)

- 1170

### B. Proper shipping name

- ETHANOL OR ETHYL ALCOHOL OR ETHANOL SOLUTIONS OR ETHYL ALCOHOL SOLUTIONS

# C. Hazard Class

- 3

### D. IMDG CODE/IATA DGR Packing group

- II

# E. Marine pollutant

- Not applicable

# F. Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-E (Non-water-reactive flammable liquids)
- EmS SPILLAGE SCHEDULE : S-D (Flammable liquids)

# 15. REGULATORY INFORMATION

# A. National and/or international regulatory information

- o POPs Management Law
  - Not applicable
- o Information of EU Classification
  - \* Classification
    - [Ethanol] : H225
- o U.S. Federal regulations

- \* OSHA PROCESS SAFETY (29CFR1910.119)
  - Not applicable
- \* CERCLA Section 103 (40CFR302.4)
  - Not applicable
- \* EPCRA Section 302 (40CFR355.30)
  - Not applicable
- \* EPCRA Section 304 (40CFR355.40)
  - Not applicable
- \* EPCRA Section 313 (40CFR372.65)
  - Not applicable
- $\circ \ Rotter dam \ Convention \ listed \ ingredients$ 
  - Not applicable
- $\circ \ Stockholm \ Convention \ listed \ ingredients$ 
  - Not applicable
- o Montreal Protocol listed ingredients
  - Not applicable

# 16. OTHER INFORMATION

### A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

### B. Issue date

- 2018-05-29

# C. Revision number and Last date revised

- Not applicable

### D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).