



SAFETY DATA SHEET

Miracle-Star™ Western Blot Detection System(Substrate solution)

Date of issue: 2018-05-30

Revision date: 2018-05-30

Version: R0001.0001

1. IDENTIFICATION

A. Product name

- Miracle-Star™ Western Blot Detection System(Substrate solution)

B. Recommended use and restriction on use

- General use : Laboratory chemicals
 - Restriction on use : Not available

C. Manufacturer / Supplier / Distributor information

o Manufacturer information

- Company name : iNtRON Biotechnology, Inc.
 - Address : #1011 Jungang Induspia V B/D, 137, Sagimakgol-ro, Jungwon-gu, Seongnam, Gyeonggi-do, 13202, Korea
 - Dept. : CRT center
 - Telephone number : +82-31-739-5737
 - Emergency telephone number :
 - Fax number : +82-31-739-5264
 - E-mail address : intronbio@intronbio.com

o Supplier/Distributor information

- Company name : iNtRON Biotechnology, Inc.
 - Address : #1011 Jungang Induspia V B/D, 137, Sagimakgol-ro, Jungwon-gu, Seongnam, Gyeonggi-do, 13202, Korea
 - Dept. : CRT center
 - Telephone number : +82-31-739-5737
 - Emergency telephone number :
 - Fax number : +82-31-739-5264
 - E-mail address : intronbio@intronbio.com

2. HAZARD IDENTIFICATION

A. GHS Classification

- Corrosive to metals : Category1
 - Acute toxicity (oral) : Category5
 - Skin corrosion/irritation : Category2
 - Serious eye damage/irritation : Category2A

B. GHS label elements

o Hazard symbols



o Signal words

- Warning

○ **Hazard statements**

- H290 May be corrosive to metals
- H303 May harmful if swallowed.
- H315 Causes skin irritation
- H319 Causes serious eye irritation

○ **Precautionary statements**

1) Prevention

- P234 Keep only in original container.
- P264 Wash hands thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

2) Response

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P321 Specific treatment
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.
- P390 Absorb spillage to prevent material damage.

3) Storage

- P406 Store in corrosive resistant/... container with a resistant inner liner.

4) Disposal

- Not applicable

C. Other hazards which do not result in classification : (NFPA Classification)

○ **NFPA grade (0 ~ 4 level)**

- Health : 2, Flammability : 0, Reactivity : 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Sulfinylbismethane	Methyl sulfoxide ; Sulfinylbismethane ; Methanesulfinylmethane	67-68-5	1
2-Amino-2-(hydroxymethyl)-1,3-propanediol	1,3-Propanediol, 2-amino-2-(hydroxymethyl)- ; Trometamol ; Tris(hydroxymethyl)methylamine ; Tris buffer ; Trihydroxymethylaminomethane ; Propane-1,3-diol, 2-amino-2-(hydroxymethyl)- ; Aminomethane ; Tromethamine ; 2-Amino-1,3-dihydroxy-2-(hydroxymethyl)propane ; 2-Amino-2-(hydroxymethyl)propane-1,3-diol ; 2-Amino-2-methylol-1,3-propanediol ; Aminotri(hydroxymethyl)methane ; Aminotrimethylolmethane ; Aminotris(hydroxymethyl)methane ; Methanamine, 1,1,1-tris(hydroxymethyl)- ; Tri(hydroxymethyl)methylamine ; Trimethylolaminomethane ; Tris(hydroxymethyl)aminomethane ; Tris(hydroxymethyl)methanamine ; Tris(methylolamino)methane ; [2-Hydroxy-1,1-bis(hydroxymethyl)ethyl]amine ; Tromethane ; Tromethanmin ;	77-86-1	1
4-Iodophenol	-	540-38-5	1

Sodium hydroxide	Caustic soda ; Sodium hydroxide ; Sodium hydrate ; Ascarite	1310-73-2	1
------------------	---	-----------	---

4. FIRST AID MEASURES

A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Go to the hospital immediately if symptoms (flare, irritate) occur.
- Remove contact lenses if worn.

B. Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Go to the hospital immediately if symptoms (flare, irritate) occur.
- Wash thoroughly after handling.

C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.

D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.

E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

5. FIREFIGHTING MEASURES

A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

B. Specific hazards arising from the chemical

- Not available

C. Special protective actions for firefighters

- Using a unattended and water devices in case of large fire and leave alone to burn if you do not imperative.
- Do not access if the tank on fire.
- Use appropriate extinguishing measure suitable for surrounding fire.
- Wear appropriate protective equipment.
- Keep containers cool with water spray.
- Fine powder may cause ignition.

6. ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency procedures

- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Remove all sources of ignition.
- Avoid dust formation.
- Moist with water to prevent dust scattering.
- Avoid skin contact and inhalation.

B. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Dust spills : Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Small liquid state spills: Appropriate container for disposal of spilled material collected.
- For disposal of spilled material in appropriate containers collected and clear surface.

7. HANDLING AND STORAGE

A. Precautions for safe handling

- Avoid contact with incompatible materials.
- Comply with all applicable laws and regulations for handling
- Refer to Engineering controls and personal protective equipment.
- Operators should wear antistatic footwear and clothing.
- Minimize occurrence of dust and accumulation.
- Avoid contact with strong oxidizing agent.

B. Conditions for safe storage, including any incompatibilities

- Do not apply direct heat.
- Avoid direct sunlight.
- Keep in the original container.
- Please pay attention to incompatibilities materials and conditions to avoid.
- No open fire.
- Do not store in metal containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limits

- o **ACGIH TLV**
 - [Sodium hydroxide] : Ceiling 2 mg/m³
- o **OSHA PEL**
 - [Sodium hydroxide]: 2mg/m³

B. Engineering controls

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

C. Individual protection measures, such as personal protective equipment

- o **Respiratory protection**
 - Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
 - Respiratory protection is ranked in order from minimum to maximum.
 - Consider warning properties before use.
 - Dust, mist, fume-purifying respiratory protection
 - Any air-purifying respirator with a corpuscle filter of high efficiency
 - Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
 - Self-contained breathing apparatus with a corpuscle filter of high efficiency
 - For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.
- o **Eye protection**
 - Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.

- Provide an emergency eye wash station and quick drench shower in the immediate work area.
- **Hand protection**
 - Wear appropriate chemical resistant glove.
- **Skin protection**
 - Wear appropriate chemical resistant protective clothing.
- **Others**
 - Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance	
- Appearance	Not available
- Color	Not available
B. Odor	Not available
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	Not available
F. Initial Boiling Point/Boiling Ranges	Not available
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	Not available
L. Solubility	Not available
M. Vapour density	Not available
N. Specific gravity(Relative density)	Not available
O. Partition coefficient of n-octanol/water	Not available
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	Not available

[Sodium hydroxide]

A. Appearance	
- Appearance	Solid
- Color	White
B. Odor	Odorless
C. Odor threshold	Not available
D. pH	(0.05% solution 12; 0.5% solution 13; 5% solution 14 (2))
E. Melting point/Freezing point	318 °C
F. Initial Boiling Point/Boiling Ranges	1390 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	No flammable (1)
K. Vapour pressure	Not available
L. Solubility	109g/100ml (20 °C (1), Alcohol, Glycerol (2))
M. Vapour density	Not available
N. Specific gravity(Relative density)	2.1
O. Partition coefficient of n-octanol/water	-3.88 (estimation)
P. Autoignition temperature	Nonflammability
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	40

[Dimethyl sulfoxide]

A. Appearance	
---------------	--

- Appearance	Liquid (hygroscopicity)
- Color	Colorless
B. Odor	Sulfur smell or garlic smell, calm smell
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	18.5 °C
F. Initial Boiling Point/Boiling Ranges	189 °C
G. Flash point	87 °C
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Flammability
J. Upper/Lower Flammability or explosive limits	2.6/42 %
K. Vapour pressure	0.61mmHg (@25 °C)
L. Solubility	1000000mg/l (@ 0 °C)
M. Vapour density	2.7
N. Specific gravity(Relative density)	1.1
O. Partition coefficient of n-octanol/water	-1.35 (calculated value)
P. Autoignition temperature	215 °C
Q. Decomposition temperature	Not available
R. Viscosity	2.47 cP (@20)
S. Molecular weight	78.14

[Tris aminomethane]

A. Appearance	
- Appearance	Solid (Crystalline)
- Color	white
B. Odor	Unique smell
C. Odor threshold	Not available
D. pH	10.4 (0.1molar solution)
E. Melting point/Freezing point	171~172 °C
F. Initial Boiling Point/Boiling Ranges	219~220 °C (at 10mmHg)
G. Flash point	170 °C
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Flammability
J. Upper/Lower Flammability or explosive limits	-/-
K. Vapour pressure	0.000002mmHg (@25 °C, estimation)
L. Solubility	550000 mg/l (@25 °C)
M. Vapour density	4.18
N. Specific gravity(Relative density)	1.32 (@ 20.4 °C)
O. Partition coefficient of n-octanol/water	1.56 (estimation)
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	121.14

[4-Iodophenol; p - Iodophenol]

A. Appearance	
- Appearance	Crystalline (white or reddish crystals)
- Color	white or red
B. Odor	Not available
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	93.5 °C (EXP)
F. Initial Boiling Point/Boiling Ranges	287 °C
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	-/-
K. Vapour pressure	0.00616mmHg (at 25 °CEST)
L. Solubility	428 mg/l (at 25 °C EST)
M. Vapour density	Not available
N. Specific gravity(Relative density)	1.8573 (at 112 °C)
O. Partition coefficient of n-octanol/water	2.91 (EXP)

P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	220.007

10. STABILITY AND REACTIVITY

A. Chemical Stability

- Stable under normal conditions of use and storage.

B. Possibility of hazardous reactions

- May be corrosive to metals.

C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- Avoid contact with metals.

D. Incompatible materials

- Avoid contact with strong oxidizing agent and strong reducing agent.

E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

11. TOXICOLOGICAL INFORMATION

A. Information on the likely routes of exposure

- **(Respiratory tracts)**
 - Not available
- **(Oral)**
 - May harmful if swallowed.
- **(Eye·Skin)**
 - Causes serious eye irritation
 - Causes skin irritation

B. Delayed and immediate effects and also chronic effects from short and long term exposure

- **Acute toxicity**
 - * **Oral**
 - Product (ATEmix) : 2000mg/kg < ATEmix <= 5000mg/kg
 - [Sulfinylbismethane] : LD50 > 20000 mg/kg mouse (IUCLID)
 - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : LD50 = 5900 mg/kg rabbit (Thomson Micromedex)
 - * **Dermal**
 - Product (ATEmix) : >5000mg/kg
 - [Sulfinylbismethane] : LD50 20000 mg/kg Rabbit (SIDS)
 - [Sodium hydroxide] : LD50 1350 mg/kg Rabbit (HSDB)
 - * **Inhalation**
 - Not available
- **Skin corrosion/irritation**
 - Causes skin irritation
- **Serious eye damage/irritation**
 - Causes serious eye irritation
- **Respiratory sensitization**
 - Not available
- **Skin sensitization**
 - Not available
- **Carcinogenicity**
 - * **IARC**
 - Not available
 - * **OSHA**

- Not available
- * **ACGIH**
 - Not available
- * **NTP**
 - Not available
- * **EU CLP**
 - Not available
- **Germ cell mutagenicity**
 - Not available
- **Reproductive toxicity**
 - Not available
- **STOT-single exposure**
 - Not available
- **STOT-repeated exposure**
 - Not available
- **Aspiration hazard**
 - Not available

12. ECOLOGICAL INFORMATION

A. Ecotoxicity

- **Fish**
 - [Sulfinylbismethane] : LC50 32300 mg/l 96 hr *Lepomis cyanellus* (OECD SIDS)
 - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : LC50 = 955.892 mg/l 96 hr (Estimate)
 - [4-Iodophenol] : LC50 10.422 mg/l 96 hr (Estimate)
 - [Sodium hydroxide] : LC50 45.4 mg/l 96 hr
- **Crustaceans**
 - [Sulfinylbismethane] : EC50 24600 mg/l 48 hr *Daphnia magna* (OECD SIDS)
 - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : EC50 = 19.793 mg/l 48 hr (Estimate)
 - [4-Iodophenol] : LC50 4.738 mg/l 48 hr (Estimate)
 - [Sodium hydroxide] : LC50 40.4 mg/l 48 hr (SIDS)
- **Algae**
 - [Sulfinylbismethane] : EC50 12350 ~ 25500 mg/l 96 hr *Skeletonema costatum* (OECD SIDS)
 - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : EC50 = 163.053 mg/l 96 hr (Estimate)
 - [4-Iodophenol] : EC50 20.398 mg/l 96 hr (Estimate)

B. Persistence and degradability

- **Persistence**
 - [Sulfinylbismethane] : log Kow -1.35 (ICSC)
 - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : log Kow = -1.56 (HSDB)
 - [4-Iodophenol] : log Kow 2.91 (NLM)
 - [Sodium hydroxide] : log Kow -3.88 (SRC)
- **Degradability**
 - Not available

C. Bioaccumulative potential

- **Bioaccumulative potential**
 - [Sulfinylbismethane] : BCF < 0.4 (IUCLID)
 - [2-Amino-2-(hydroxymethyl)-1,3-propanediol] : BCF = 3 (HSDB)
 - [4-Iodophenol] : BCF 38.64 (Estimate)
 - [Sodium hydroxide] : BCF -3.88 (SRC)
- **Biodegradation**
 - [Sulfinylbismethane] : 3.1 (%) 28 day (CHRIP)

D. Mobility in soil

- [4-Iodophenol] : Koc 503 (Low potential for soil adsorption)

E. Other adverse effects

- Not available

13. DISPOSAL CONSIDERATIONS

A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat seperatly, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

B. Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

A. UN No. (IMDG CODE/IATA DGR)

- 1823

B. Proper shipping name

- CORROSIVE SOLIDS, N.O.S.

C. Hazard Class

- 8

D. IMDG CODE/IATA DGR Packing group

- I I

E. Marine pollutant

- Not applicable

F. Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-A (General fire schedule)
- EmS SPILLAGE SCHEDULE : S-B (Corrosive substances)

15. REGULATORY INFORMATION

A. National and/or international regulatory information

- POPs Management Law
 - Not applicable
- Information of EU Classification
 - * Classification
 - [Sodium hydroxide] : H314
- U.S. Federal regulations
 - * OSHA PROCESS SAFETY (29CFR1910.119)
 - Not applicable
 - * CERCLA Section 103 (40CFR302.4)
 - [Sodium hydroxide] : 453.599 kg 1000 lb
 - * EPCRA Section 302 (40CFR355.30)
 - Not applicable
 - * EPCRA Section 304 (40CFR355.40)
 - Not applicable
 - * EPCRA Section 313 (40CFR372.65)
 - Not applicable
- Rotterdam Convention listed ingredients
 - Not applicable

- **Stockholm Convention listed ingredients**
 - Not applicable
- **Montreal Protocol listed ingredients**
 - Not applicable

16. OTHER INFORMATION

A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

B. Issue date

- 2018-05-30

C. Revision number and Last date revised

- Not applicable

D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).