

# SAFETY DATA SHEET

## Power cDNA Synthesis Kit - AMV Reverse Transcriptase (10U/ul)

Date of issue: 2018-06-04

Revision date: Not applicable

Version: R0001.0001

### 1. IDENTIFICATION

#### A. Product name

- Power cDNA Synthesis Kit - AMV Reverse Transcriptase (10U/ul)

#### B. Recommended use and restriction on use

- General use : Laboratory chemicals  
 - Restriction on use : Not available

#### C. Manufacturer / Supplier / Distributor information

##### o Manufacturer information

- Company name : iNtRON Biotechnology, Inc.  
 - Address : #1011 Jungang Induspia V B/D, 137, Sagimakgol-ro, Jungwon-gu, Seongnam, Gyeonggi-do, 13202, Korea  
 - Dept. : CRT center  
 - Telephone number : +82-31-739-5737  
 - Emergency telephone number :  
 - Fax number : +82-31-739-5264  
 - E-mail address : intronbio@intronbio.com

##### o Supplier/Distributor information

- Company name : iNtRON Biotechnology, Inc.  
 - Address : #1011 Jungang Induspia V B/D, 137, Sagimakgol-ro, Jungwon-gu, Seongnam, Gyeonggi-do, 13202, Korea  
 - Dept. : CRT center  
 - Telephone number : +82-31-739-5737  
 - Emergency telephone number :  
 - Fax number : +82-31-739-5264  
 - E-mail address : intronbio@intronbio.com

### 2. HAZARD IDENTIFICATION

#### A. GHS Classification

- Skin corrosion/irritation : Category2  
 - Serious eye damage/irritation : Category2A

#### B. GHS label elements

##### o Hazard symbols



##### o Signal words

- Warning

##### o Hazard statements

- H315 Causes skin irritation

- H319 Causes serious eye irritation

o **Precautionary statements**

**1) Prevention**

- P264 Wash hands thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

**2) Response**

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 Specific treatment
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing and wash before reuse.

**3) Storage**

- Not applicable

**4) Disposal**

- Not applicable

### C. Other hazards which do not result in classification : (NFPA Classification)

o **NFPA grade (0 ~ 4 level)**

- Health : 2, Flammability : 0, Reactivity : 0

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Glycerol	Glyceritol ; Glycylalcohol ; Glyrol ; Glycerin ; Glycerine ; 1,2,3-Propanetriol ; 1,2,3-Trihydroxypropane ; Glycol alcohol ; Propane-1,2,3-triol ; Glysamin ; Propanetriol	56-81-5	25~50%
Phosphoric acid monopotassium salt	Phosphoric acid, potassium salt (1:1) ; Phosphoric acid, monopotassium salt ; Potassium phosphate monobasic ; Potassium hydrogen phosphate (KH <sub>2</sub> PO <sub>4</sub> ) ; Monopotassium phosphate ; Potassium dihydrogen phosphate (KH <sub>2</sub> PO <sub>4</sub> ) ; Dihydrogen potassium phosphate ; Monobasic potassium phosphate ; Monopotassium dihydrogen monophosphate ; Monopotassium dihydrogen orthophosphate ; Monopotassium dihydrogen phosphate ; Monopotassium orthophosphate ; Potassium acid phosphate ; Potassium biphosphate ; Potassium diphosphate ; Potassium monobasic phosphate (KH <sub>2</sub> PO <sub>4</sub> ) ; Potassium phosphate (K(H <sub>2</sub> PO <sub>4</sub> )) ;	7778-77-0	0.1~1%
α-[4-(1,1,3,3-Tetramethylbutyl)phenyl]-ω-hydroxypoly(oxy-1,2-ethanediyl)	-	9002-93-1	0.1~0.5%
2,3-Butanediol, 1,4-dimercapto-, (R*,R*)-	-	3483-12-3	0.01~0.1%

### 4. FIRST AID MEASURES

#### A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.

- Go to the hospital immediately if symptoms (flare, irritate) occur.
- Remove contact lenses if worn.

#### **B. Skin contact**

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Go to the hospital immediately if symptoms (flare, irritate) occur.
- Wash thoroughly after handling.

#### **C. Inhalation contact**

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.

#### **D. Ingestion contact**

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.

#### **E. Delayed and immediate effects and also chronic effects from short and long term exposure**

- Not available

#### **F. Notes to physician**

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

### **5. FIREFIGHTING MEASURES**

#### **A. Suitable (Unsuitable) extinguishing media**

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

#### **B. Specific hazards arising from the chemical**

- Not available

#### **C. Special protective actions for firefighters**

- Notify your local fire station and inform the location of the fire and characteristics hazard.
- Avoid inhalation of materials or combustion by-products.
- Do not access if the tank on fire.
- Use appropriate extinguishing measure suitable for surrounding fire.
- Wear appropriate protective equipment.
- Keep containers cool with water spray.
- Fine powder may cause ignition.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **A. Personal precautions, protective equipment and emergency procedures**

- Wear proper personal protective apparatus as indicated in Section 8 and avoid skin contact and inhalation.
- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Move container to safe area from the leak area.
- Avoid dust formation.
- Moist with water to prevent dust scattering.
- Avoid skin contact and inhalation.

#### **B. Environmental precautions**

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

#### **C. Methods and materials for containment and cleaning up**

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Dust spills : Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Small liquid state spills: Appropriate container for disposal of spilled material collected.
- For disposal of spilled material in appropriate containers collected and clear surface.

## 7. HANDLING AND STORAGE

### A. Precautions for safe handling

- Since emptied containers retain product residue(vapor, liquid, solid) follow all MSDS and label warnings even after container is emptied.
- Avoid contact with incompatible materials.
- Get the manual before use.
- Do not handle until all safety precautions have been read and understood.
- Minimize occurrence of dust and accumulation.'

### B. Conditions for safe storage, including any incompatibilities

- Do not use damaged containers.
- Do not apply any physical shock to container.
- Avoid direct sunlight.
- Keep in the original container.
- Keep sealed when not in use.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### A. Exposure limits

- o **ACGIH TLV**
  - [Glycerol] : TWA, 10 mg/m<sup>3</sup>
- o **OSHA PEL**
  - [Glycerol]: 15 mg/m<sup>3</sup> (Total dust), 5 mg/m<sup>3</sup> (Respirable fraction)

### B. Engineering controls

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

### C. Individual protection measures, such as personal protective equipment

- o **Respiratory protection**
  - Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
  - Respiratory protection is ranked in order from minimum to maximum.
  - Consider warning properties before use.
  - Dust, mist, fume-purifying respiratory protection
  - Any air-purifying respirator with a corpuscle filter of high efficiency
  - Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
  - Self-contained breathing apparatus with a corpuscle filter of high efficiency
  - For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.
- o **Eye protection**
  - Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
  - Provide an emergency eye wash station and quick drench shower in the immediate work area.
- o **Hand protection**
  - Wear appropriate glove.
- o **Skin protection**
  - Wear appropriate clothing.
- o **Others**
  - Not available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### [Dithiothreitol]

A. Appearance	
- Appearance	Powder
- Color	White
B. Odor	Unpleasant
C. Odor threshold	No data
D. pH	From 4.0-6 to 15.4g/l at 25°C
E. Melting point/Freezing point	41-44°C / 42-43°C
F. Initial Boiling Point/Boiling Ranges	No data
G. Flash point	113°C - closeness
H. Evaporation rate	No data
I. Flammability(solid, gas)	No data
J. Upper/Lower Flammability or explosive limits	No data
K. Vapour pressure	No data
L. Solubility	15.4g/l at 20°C
M. Vapour density	No data
N. Specific gravity(Relative density)	No data
O. Partition coefficient of n-octanol/water	No data
P. Autoignition temperature	No data
Q. Decomposition temperature	No data
R. Viscosity	No data
S. Molecular weight	154.25g/mol

### [Glycerol]

A. Appearance	
- Appearance	Liquid (Diamond)
- Color	Colorless
B. Odor	light smell
C. Odor threshold	Not available
D. pH	(Neutral)
E. Melting point/Freezing point	18.1°C
F. Initial Boiling Point/Boiling Ranges	290 °C
G. Flash point	177 °C (ca. 101.3kPa)
H. Evaporation rate	Not available
I. Flammability(solid, gas)	lower limit: 3, upper limit:19 (Flash point 199)
J. Upper/Lower Flammability or explosive limits	19/27%
K. Vapour pressure	0.000168mmHg (at 25 deg C)
L. Solubility	1000000mg/l (25 °C)
M. Vapour density	3.1 ((Air=1))
N. Specific gravity(Relative density)	1.2613 g/cu cm(at 20 deg C)
O. Partition coefficient of n-octanol/water	-1.76
P. Autoignition temperature	405 °C (ca. 101.3kPa)
Q. Decomposition temperature	290 °C
R. Viscosity	954 °C ( at 25 C)
S. Molecular weight	92.09

### [Potassium Acid Phosphate]

A. Appearance	
- Appearance	Solid
- Color	Colorless, white
B. Odor	Odorless
C. Odor threshold	No data
D. pH	4.1 (4.1-4.5 conc: 5% 25°C)
E. Melting point/Freezing point	253°C

F. Initial Boiling Point/Boiling Ranges	Not applicable
G. Flash point	No data
H. Evaporation rate	No data
I. Flammability(solid, gas)	No data
J. Upper/Lower Flammability or explosive limits	-/-
K. Vapour pressure	Not applicable
L. Solubility	22g/100ml
M. Vapour density	Not applicable
N. Specific gravity(Relative density)	2.34
O. Partition coefficient of n-octanol/water	No data
P. Autoignition temperature	No data
Q. Decomposition temperature	No data
R. Viscosity	No data
S. Molecular weight	136.09

[ $\alpha$ -[4-(1,1,3,3-Tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl)]

A. Appearance	
- Appearance	Liquid
- Color	Colorless
B. Odor	No data
C. Odor threshold	No data
D. pH	No data
E. Melting point/Freezing point	6~7°C
F. Initial Boiling Point/Boiling Ranges	270°C (at 760mmHg)
G. Flash point	> 93.3°C
H. Evaporation rate	No data
I. Flammability(solid, gas)	No data
J. Upper/Lower Flammability or explosive limits	-/-
K. Vapour pressure	1mmHg (<1mmHg)
L. Solubility	No data
M. Vapour density	1 (>1)
N. Specific gravity(Relative density)	1.0595 (at 25°C)
O. Partition coefficient of n-octanol/water	4.86
P. Autoignition temperature	No data
Q. Decomposition temperature	No data
R. Viscosity	240cP
S. Molecular weight	646.85

## 10. STABILITY AND REACTIVITY

### A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

### B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

### C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces

### D. Incompatible materials

- Not available

### E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

## 11. TOXICOLOGICAL INFORMATION

## A. Information on the likely routes of exposure

- **(Respiratory tracts)**
  - Not available
- **(Oral)**
  - Not available
- **(Eye:Skin)**
  - Causes serious eye irritation
  - Causes skin irritation

## B. Delayed and immediate effects and also chronic effects from short and long term exposure

- **Acute toxicity**
  - \* **Oral**
    - Product (ATEmix) : Not available
    - [Glycerol] : LD50 = 12600 mg/kg Rat (ChemIDplus)
    - [Phosphoric acid monopotassium salt] : LD50 1700 mg/kg mouse (ca.)(IUCLID)
    - [ $\alpha$ -[4-(1,1,3,3-Tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl)] : LD50 = 1800 mg/kg Rat (Thomson)
  - \* **Dermal**
    - Product (ATEmix) : Not available
    - [Glycerol] : LD50 > 10000 mg/kg Rat (ChemIDplus)
    - [Phosphoric acid monopotassium salt] : LD50 > 4640 mg/kg Rabbit (NLM)
  - \* **Inhalation**
    - Product (ATEmix) : Not available
    - [Glycerol] : LC50 >2.75 mg/l 4 hr Rat (ECHA)
- **Skin corrosion/irritation**
  - Causes skin irritation
- **Serious eye damage/irritation**
  - Causes serious eye irritation
- **Respiratory sensitization**
  - Not available
- **Skin sensitization**
  - Not available
- **Carcinogenicity**
  - \* **IARC**
    - Not available
  - \* **OSHA**
    - Not available
  - \* **ACGIH**
    - Not available
  - \* **NTP**
    - Not available
  - \* **EU CLP**
    - Not available
- **Germ cell mutagenicity**
  - Not available
- **Reproductive toxicity**
  - Not available
- **STOT-single exposure**
  - Not available
- **STOT-repeated exposure**
  - Not available
- **Aspiration hazard**
  - Not available

## 12. ECOLOGICAL INFORMATION

### A. Ecotoxicity

- **Fish**
  - [Glycerol] : LC50 >11 mg/l 96 hr Cyprinodon variegatus (ECHA)

- [Phosphoric acid monopotassium salt] : LC50 40400000 mg/l 96 hr (Estimate)
- [ $\alpha$ -[4-(1,1,3,3-Tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl)] : LC50 4.5 mg/l 96 hr Pimephales promelas (ECOTOX)

- **Crustaceans**

- [Glycerol] : LC50 1955 mg/l 48 hr Daphnia magna (ECHA)
- [Phosphoric acid monopotassium salt] : LC50 2.4 mg/l 28 hr (Estimate)
- [ $\alpha$ -[4-(1,1,3,3-Tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl)] : LC50 11.2 mg/l 48 hr Daphnia magna (ECOTOX)

- **Algae**

- [Phosphoric acid monopotassium salt] : EC50 12700000 mg/l 96 hr (Estimate)

## B. Persistence and degradability

- **Persistence**

- [Glycerol] : Log Kow -1.76 (HSDB)
- [Phosphoric acid monopotassium salt] : log Kow -3.96 (Estimate)
- [ $\alpha$ -[4-(1,1,3,3-Tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl)] : log Kow 4.86 (NITE)

- **Degradability**

- Not available

## C. Bioaccumulative potential

- **Bioaccumulative potential**

- [ $\alpha$ -[4-(1,1,3,3-Tetramethylbutyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl)] : BCF 248 (Estimate)

- **Biodegradation**

- [Glycerol] : Biodegradability = 65 (%) 14 day (OECD 1G 301C, OECD SIDS, OECD 1G 301D, IUCLIDE), 94 % 24hr (TOC removal)(ECHA)

## D. Mobility in soil

- Not available

## E. Other adverse effects

- Not available

## 13. DISPOSAL CONSIDERATIONS

### A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat sepatrly, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

### B. Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

## 14. TRANSPORT INFORMATION

### A. UN No. (IMDG CODE/IATA DGR)

- 3082

### B. Proper shipping name

- ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

### C. Hazard Class

- 9

### D. IMDG CODE/IATA DGR Packing group

- III

### E. Marine pollutant

- Not applicable

**F. Special precautions for user related to transport or transportation measures**

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-A (General fire schedule)
- EmS SPILLAGE SCHEDULE : S-F (Water-soluble marine pollutants)

**15. REGULATORY INFORMATION****A. National and/or international regulatory information**

- o **POPs Management Law**
  - Not applicable
- o **Information of EU Classification**
  - \* **Classification**
    - Not applicable
- o **U.S. Federal regulations**
  - \* **OSHA PROCESS SAFETY (29CFR1910.119)**
    - Not applicable
  - \* **CERCLA Section 103 (40CFR302.4)**
    - Not applicable
  - \* **EPCRA Section 302 (40CFR355.30)**
    - Not applicable
  - \* **EPCRA Section 304 (40CFR355.40)**
    - Not applicable
  - \* **EPCRA Section 313 (40CFR372.65)**
    - Not applicable
- o **Rotterdam Convention listed ingredients**
  - Not applicable
- o **Stockholm Convention listed ingredients**
  - Not applicable
- o **Montreal Protocol listed ingredients**
  - Not applicable

**16. OTHER INFORMATION****A. Reference**

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

**B. Issue date**

- 2018-06-04

**C. Revision number and Last date revised**

- Not applicable

**D. Other**

- This SDS is prepared according to the Globally Harmonized System (GHS).